CENTRAL INTELLIGENCE AGENCY

INFORMAT	TION REPORT	tional Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited reduction of this form is prohibited
	SECRET	25%1
COUNTRY	USSR (Arctic)	REPORT
SUBJECT	1. Port of Murmansk 2. Port of Igarka	DATE DISTR. 17 March 1953
DATE OF INFO.		NO. OF PAGES 3 25X1
PLACE ACQUIRED		REQUIREMENT NO. RD
	This is UNEVALUA	25X1
	THE APPRAISAL OF	N THIS REPORT ARE DEFINITIVE. CONTENT IS TENTATIVE. SEE REVERSE)
	J. VA. Na.	
		25.
Soviet	patrol boat off Torasi Island	. 25.
buoys;	the outermost buoy was painte	half of the inlet obstructed by a line of d red.
		25.
<u>.</u>		
2.		
3. On the	north side of this jetty, the	re were two mono-tower level luffing cranes
in oper		in (and in the state of the sta
	meron cure one didet. Coust Life.	ion (described as "giraffes"). 25.
These c	cranes had a very large radius	andere fitted with grabs of 22 tons capacity.
These c	south side there were four of	and are fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation.
These c 4. On the 5. The jet 6. A doubl	eranes had a very large radius south side there were four of ty was built of stone with wood track of flush-railed lines	and are fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation.
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet	eranes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pin	and are fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face.
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet	eranes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pigwith water-points.	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and oes laid under the surface. All pipes were
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet fitted v 8. on the p	eranes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pip with water-points. the sheds on the port plan. Coal was piled on	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and ces laid under the surface. All pipes were the grayside to a height of approximately
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet fitted v 8. on the p	eranes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pigwith water-points.	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and ces laid under the surface. All pipes were the grayside to a height of approximately
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet fitted v 8. on the p 15' and	scanes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pip with water-points. the sheds on the port plan. Coal was piled on was within the radius of the	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and ces laid under the surface. All pipes were the grayside to a height of approximately
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet fitted to the period on the period of the period on the period of the period o	scanes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pip with water-points. the sheds on the port plan. Coal was piled on was within the radius of the	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and ces laid under the surface. All pipes were the grayside to a height of approximately
These c 4. On the 5. The jet 6. A doubl souther. 7. The jet fitted v 8. on the p 15' and	scanes had a very large radius south side there were four of ty was built of stone with word e track of flush-railed lines in side of this jetty. ty was equipped with water pip with water-points. the sheds on the port plan. Coal was piled on was within the radius of the	anders fitted with grabs of $2\frac{1}{2}$ tons capacity. these cranes in operation. oden fenders along its face. was laid along both the northern and ces laid under the surface. All pipes were the grayside to a height of approximately

Approved For Release 2009/09/10: CIA-RDP80-00810A000200400004-1

	SECRET/	25X1
	~2~	
9.		25X1
•		/
		25X1
	(snips were berthed two abreast). A vessel to adding copper or iron pyrites and drawing 22' to 23' was occupying the inner	23/(1
	berth can drawing 22. to 23. was occupying the inner	25X1
10.	The ice-happing VDACCTIL	
	The ice-breaker KRASSIN was lying at the southern V jetty.	
11.		25X1
	a large floating dock capable of docking vessels	25X1
	or some 20,000 tons d.w. in Rcslyakova Bay. It was of very solid construction with a small crane on one of the side tanks. Here also were observed six mine sweepers lying over on the west side of the bay.	
	In the Kara Sea	
12.		25 X 1,
	On most of this stretch the	25X1
	closely packed.	
	and any process.	25X1
13.		
	At the Yenisey River.	
14.	The river pilot was picked up from the pilot schooner HETA (sic) at Oshmarino Point (N71-44, E82-58)	
	deck and appeared to be used for channel buoyage.	25X1
15.	deck and appeared to be used for channel buoyage.	25X1
15.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30, E86-35) was marked with leading marks and lights. The time taken to cover the journey from Ochmanine Point to Igarka	25X1
15.	deck and appeared to be used for channel buoyage.	25 X 1
15.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30, E86-35) was marked with leading marks and lights. The time taken to cover the journey from Ochmanine Point to Igarka	25X1
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30, E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks.	25X1 25X1
	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30, E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. About one dozen oil tanks on the right bank of the river. These tanks were five to ten meters high and clusters.	*
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30, E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. These tanks were five to ten meters high and five to ten meters in diameter. Immediately upstream from these	25X1
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. Tight bank of the river. These tanks were five to ten meters high and five to ten meters in diameter. Immediately upstream from these some quays at which were berthed about half a dozen share about a bour a bidge of the river.	*
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the ten meters in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be in good condition but there were no cranes	25X1
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the ten meters in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be in good condition but there were no cranes	25X1 25X1
16.	deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the right material in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be a conveyor which transported coal from the quay to a store set above flood level.	25X1 25X1
16. 17. [deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the ten meters in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be in good condition but there were no cranes	25X1 25X1
16. 17. [deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the right material in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be a conveyor which transported coal from the quay to a store set above flood level.	25X1 25X1
16. 17. [deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the right material in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be a conveyor which transported coal from the quay to a store set above flood level.	25X1 25X1
16. 17. [deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the right material in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be a conveyor which transported coal from the quay to a store set above flood level.	25X1 25X1
16. 17. [deck and appeared to be used for channel buoyage. The entire channel to Igarka (N67-30,E86-35) was marked with leading marks and lights. The time taken to cover the journey from Oshmarino Point to Igarka was two days and nights. On the lower reaches of the river, there were only scattered clusters of houses. The height and character of the river banks vary from low sandy stretches to steep high banks. about one dozen oil tanks on the right material in diameter. Immediately upstream from these some quays at which were berthed about half a dozen cargo ships. The estimated length of this quay was 500 yards. It appeared to be a conveyor which transported coal from the quay to a store set above flood level.	25X1 25X1

	SECRET/
	-3 ∞
	The river bank behind this quay was very steep and at some distance up its bank there were traces of spring flooding.
	a township here,
	a large block of apartments and some factory
	this quay at Ust-Yeniseyskiy Port (N69-40,E84-26) in latitude approximately 70° N (below Dudinka, N69-25,E86-10).
	on the reaches between Ust-Yeniseyskiy and Igarka, many tugs and parges. The former were of both paddle and screw variety, steam-and diesel- cowered. The screw-driven tugs were always twin-screw and twin-rudder craft. The latter were of the usual North Russia river type: 2,000 to 3,000 tons d.w.,
I	ron-built with deck house aft, and samson posts. many of these proceed upstream from Igarka and was told that they went up to a point where the river was crossed by the Trans-Siberian Railway.
٩	The quay was a wooden structure built on piles and was reported to be some 600 to 500 meters in length, capable of berthing four or five ships of the size and draft which are normally employed in this trade in this area.
Ľ	here were no cranes and no water pipes on the jetty.
	he lower end of the quay. Stones the size of a man's head were being dredged rom the river bed.
1	ying off this quay in the stream, there was an island which is completely nundated during the spring floods. no sign of buildings or intallations of any kind on this island. In the channel between the town and this sland, there was little or no current, but in the channel between the island and the left bank of the river, the current ran at between two and three knots.
1	he Inflot office was situated on the bank just above the quay. The agent was Muscovite.
ì	sea planes came and went every day. There was a small ea plane base just downstream from the quay, with slipways and laid moorings,
3	t which two or three see mlanes were lying No singrest other than ample
3	t which two or three sea planes were lying. No aircraft other than amphi- ious was seen at Igarka, but at Ust-Yenisevskiy Port an aircraft
3 L O L	t which two or three sea planes were lying. No aircraft other than amphi- ious was seen at Igarka, but at Ust-Yeniseyskiy Port an aircraft and on shore near the town. The air strip or landing ground was tundra. nly men worked on board the ships, while women were employed as tally clerks. ost of the laborers were very young and there were sufficient numbers to work hree ships at a time. They worked in shifts of six hours on and six hours off
	t which two or three sea planes were lying. No aircraft other than amphi- ious was seen at Igarka, but at Ust-Yeniseyskiy Port an aircraft and on shore near the town. The air strip or landing ground was tundra. nly men worked on board the ships, while women were employed as tally clerks. ost of the laborers were very young and there were sufficient numbers to work hree ships at a time. They worked in shifts of six hours on and six hours off
at O Li	t which two or three sea planes were lying. No aircraft other than amphi- ious was seen at Igarka, but at Ust-Yeniseyskiy Port an aircraft and on shore near the town. The air strip or landing ground was tundra. nly men worked on board the ships, while women were employed as tally clerks. ost of the laborers were very young and there were sufficient numbers to work hree ships at a time. They worked in shifts of six hours on and six hours off
	t which two or three sea planes were lying. No aircraft other than amphi-
	twhich two or three sea planes were lying. No aircraft other than amphitious was seen at Igarka, but at Ust-Yeniseyskiy Port an aircraft and on shore near the town. The air strip or landing ground was tundra. In an aircraft which were sufficient numbers to work three ships at a time. They worked in shifts of six hours on and six hours off